

Inspection Report
U.S. Environmental Protection Agency
Region 9
Toxics and Waste Management Division
Field Operations Branch

(DOHS - SCS)

DATE

9/19/86

CA D008325110

INSPECTOR *MO*

Purpose:

Facility Name: TRENT TUBE

Street: 2100 E. Orangethorpe Ave.

City: Fullerton State: CA

Zip Code: 92634

EPA ID number:

CAD 008325110

Report Number:

Date of Investigation:

9/19/86

EPA Inspector(s):

N.A.

State Inspector(s):

Mary Osborne

Facility Representative(s):

Report Prepared By:

Mary Osborne

Form A - Interim Status Standards for Facilities
that Treat, Store or Dispose of Hazardous Waste

I. General Information:

- Current:*
(A) Operator: Autocar / Sales & Leasing and R.V. Storage
Street: 2100 E. Orangethorpe
City: Fullerton State: CA Zip Code: _____
DATE: 9/19/86
(B) Owner: TRENT TUBE
Street: 2188 S. Church St.
City: E. Troy State: WI Zip Code: 53120
CA D008325110
INSPECTOR: MO
(C) Site Activity: TRENT TUBE IS CLOSED

____ Generation: Complete Form B

____ Small Quantity Generator:

____ Transportation: Complete Form C

Complete Form D

____ Recycler: Complete Form E

Storage:

Disposal:

____ Container (S01)

____ Injection Well (D79)

____ Tank (S02)

____ Landfill (D80)

____ Waste Pile (S03)

____ Land Application (D81)

____ Surface Impoundment (S04)

____ Ocean Disposal (D82)

____ Surface Impoundment (D83)

Treatment:

Process Code:

Design Capacity:

____ Tank (T01)

____ Surface Impoundment (T02)

____ Incinerator (T03)

____ Other (T04)

DATE.....

9/19/86

CA D008325110

INSPECTOR.....

MO

I. General Information: - Continued

(D) Nature Of Business:

The facility was officially closed (certification) in Dec. of 1984. The site was acknowledged as closed by the State Department of Health (see letter) in April of 1985.

(E) Description Of Facility Processes:

N/A — Facility no longer in operation. A field check confirmed that the site is now operated by an automobile sales and leasing company — (714) 680-3815.

DATE

9/19/86

I. General Information: - Continued

C 1008345110

INSPECTOR

MO

(F) Report Attachments:

Certification of closure
- Letter from State Health and
engineer's Certification.

II. Interim Status:
(Part 270 Subpart G)

	Yes	No	Comments
DATE <u>9/19/86</u> CA D008325110 INSPECTOR <u>MO</u>			
(A) Qualifying For Interim Status:			
1. For the existing facility to be treated as having been issued a permit, the facility must have:			
a. Submitted a notification of H.W. activity (270.70a.1)?			<u>N/A - Facility is closed</u>
b. Submitted Part A of the permit application (270.70a.2)?			
c. Achieved compliance with RCRA interim status standards (270.70b)?			
(B) Operating During Interim Status:			
1. Has the facility complied with the following restrictions:			
a. Has only treated, stored or disposed of H.W. specified in the Part A (270.71a.1)?			
b. Has only employed processes specified in the Part A (270.71a.2)?			
c. Has not exceeded design capacities specified in the Part A (270.71a.3)?			
(C) Changes During Interim Status:			
1. Has a revised Part A been submitted prior to the following changes:			
a. T/S/D of H.W. not previously identified in the Part A (270.72a)?			
b. Increases in design capacity of processes (270.72b)?			
c. Changes in or additions to processes (270.72c)?			
d. Change in ownership (270.72d)?			
e. Have the changes made not amounted to reconstruction (270.72e)?			

III. General Facility Standards:
(Part 265 Subpart B)

DATE 9/19/86

Yes No Comments

CAC 0008325110

INSPECTOR MO

(A) Required Notices:

1. Has the RA been notified regarding the receipt of H.W. from a foreign source (265.12a)?

CAC 67101(a)

N/A Facility is closed.

2. Before transferring ownership, has the facility notified the new owners in writing of the requirements of Parts 265 and 122 (265.12b)?

CAC 67101(c)

(B) General Waste Analysis:

1. Has the facility obtained a detailed chemical and physical analysis of each H.W. (265.13a.1)?

CAC 67102 (a)(1)

2. Does the analysis contain all information that must be known to properly treat, store or dispose of the H.W. (265.13a.1)?

CAC 67102(a)(1)

3. Does the facility have records documenting the required H.W. analysis, e.g., lab reports, published data, generator supplied data (265.13a.2)?

CAC 67102(a)(2)

4. Has the analysis been repeated to ensure that it is accurate and up-to-date (265.13a.3)?

CAC 67102(a)(3)

5. Is the analysis repeated when there is a change in the process (265.13a.3)?

CAC 67102(a)(3)(A)

6. For off-site facilities, is the analysis repeated when the H.W. received does not match the H.W. designated on the manifest (265.13a.3)?

CAC 67102 (a)(3)(B)

7. For off-site facilities, does the facility inspect or analyze each movement of H.W. to verify that the H.W. received matches the identity of the H.W. specified on the manifest (265.13a.4)?

CAC 67102 (a)(4)